

TABLE I: MORTALITY

DISEASE: ACUTE MYOCARDIAL INFARCTION (ICD-9 410-414)

COUNTRY	ICD version		Aggr. codes ICD-9	Single code ICD-9	Coding		1 <sup>st</sup> year of applic ICD -10	Causes of death reported				Autopsy rate	Comp. /last year avail.	Age-std. values	Access data
	9	10			Autom.	Manual		immediate	interm.	underlying	others				
<b>Austria</b>		√	√			√	1996	√				47%	2002	-	Nat. Inst of Statistics
<b>Belgium</b>		√		√		√	1998	√	√	√	√			-	Ministry of Health
<b>Czech Republic</b>	√	√	√	√		√	1996	√	√	√	√	35%	2003	√	Inst. of Health Inf. and Stat. of CR
<b>Denmark</b>		√	√	√	2002		1994			√	√	9%	2001	√	NIPH; N. Inst. of Stat.; National Board of Health
<b>Finland</b>		√	√	√		√	1996	√	√	√	√	35%	2003	√	NIPH
<b>France</b>	√	√	√		√		2000	√	√	√	√		2001	√	Min. of Health
<b>Germany</b>		√	√	√		√	1998			√		under 10%	2003	√	Nat. Institute of Statistics
<b>Greece</b>	√		√	√		√		√	√	√	√	7%	2002	-	N. Inst. of Stat.
<b>Hungary</b>		√	√	√		√	1996	√	√	√	√	31,6%	2003	-	N. Inst. of Stat.
<b>Iceland</b>	√	√	√	√									2002	-	MONICA
<b>Italy</b>	√		√	√		√		√	√	√				√	M. of Health; N. Inst Stat.
<b>The Netherlands</b>		√	√	√		√	1996	√	√	√	√	0%	2004	-	Prismant (Health Care and Advise Institute)
<b>Norway</b>		√	√	√		√	1996			√	√	9%	2002	√	N.Inst. Stat./HDR
<b>Poland</b>		√	√	√		√	1997	√	√	√		10%	2002	-	M.of Health; N. Inst Stat.
<b>Portugal</b>		√	√	√		√	2002	√	√	√	√	6,4%	2002	√	Min. of Health; N. Inst of Stat; IGIF
<b>Spain</b>		√	√	√									2002	-	National Inst. Stat.
<b>Sweden</b>		√		√	√	√	1997			√	√	14%	2002	√	NBHW
<b>UK</b>		√	√	√									2004	√	Dep.of Health

IGIF, Instituto de Gestao Informatica e Financeira; NBHW, National Board of Health and Welfare; NIPH, National Institute of Public Health;

Blank box means that information is not available

Data refer to year 2004

TABLE I: MORTALITY

DISEASE: ACUTE CORONARY SYNDROMES (ICD-9 410-411)

COUNTRY	ICD version		Aggregated codes ICD-9	Coding		1 <sup>st</sup> year of application of ICD X	Causes of death reported				Autopsy rate	Computerized/ last year available	Age-Std values	Access data
	9	10		autom.	manual		immediate	interm.	underl.	others				
<b>Austria</b>														
<b>Belgium</b>		√	only single		√	1998	√	√	√	√		2003	-	Ministry of Health
<b>Czech Republic</b>	√	√	√		√	1996	√	√	√	√	35%	2003	√	Inst. of Health Inf. and Statistics of CR
<b>Denmark</b>		√	√	2002		1994	-	-	√	√	9%	2004	√	NIPH; Nat. Board of Health
<b>Finland</b>		√	only single 410,411		√	1996	√	√	√	√	35%	2003	√	NIPH
<b>France</b>				√		2000	√	√	√	√				
<b>Germany</b>		√	√		√	1998			√		under 10%	2003		Nat. Institute of Statistics
<b>Greece</b>	√		√		√		√	√	√	√	7%	2002	-	Nat. Institute of Statistics
<b>Hungary</b>		√	√		√	1996	√	√	√	√	31,6%	2003	-	Nat. Inst. of Statistics
<b>Iceland</b>														
<b>Italy</b>	√		√		√		√	√	√			-	√	NIPH
<b>The Netherlands</b>		√	√									2004	-	Prismant (Health Care and Advise Institute)
<b>Norway</b>		√	√		√	1996			√	√	9%	2002	-	Nat. Inst. Stat./HDR
<b>Poland</b>		√	√		√	1997	√	√	√		10%	2002	-	Nat. Inst. of Statistics
<b>Portugal</b>		√	√		√	2002	√	√	√	√	6,4%	2002	√	Nat. Inst. of Statistics
<b>Spain</b>														
<b>Sweden</b>		√	only single	√	√	1997			√	√	14%	2003	√	NBHW
<b>UK</b>		√	√									2004	√	Department of Health

NBHW, National Board of Health and Welfare; NIPH, National Institute of Public Health;

Blank box means that information is not available

Data refer to year 2004

TABLE I: MORTALITY

DISEASE: CEREBROVASCULAR DISEASES (ICD-9 430-438)

COUNTRY	ICD version		Aggregated codes ICD-9	Single Codes	Coding		1 <sup>st</sup> year of applic. of ICD X	Causes of death reported				Dementia mortality rate	Autopsy rate	Comp./ last year avail.	Age-st. values	Access data
	9	10			autom.	manual		immediate	interm	underl.	others					
<b>Austria</b>		√	-	-		√	1996	√				-	12%	-	√	
<b>Belgium</b>		√	-	√		√	1998	√	√	√	√	√		2000	-	Ministry of Health
<b>Czech Republic</b>	√	√	√	√		√	1996	√	√	√	√	√	35%	2003	√	Inst of Health Inf. and Stat. of CR
<b>Denmark</b>		√		√	2002		1994	-	-	√	√	√	9%	2001	√	Min. of Health; NIPH
<b>Finland</b>		√		√		√	1996	√	√	√	√	√	35%	2003	√	NIPH
<b>France</b>		√		√	√		2000	√	√	√	√	-		2001	√	Min. of Health; Inst de Veille Sanitaire
<b>Germany</b>		√	√	√		√	1998			√		-	<10%	2003	√	Nat. Inst. of Stat.
<b>Greece</b>	√		√	√		√	n.a.	√	√	√	√	√	7%	2002	-	Nat. Inst. of Stat.
<b>Hungary</b>		√	√	√		√	1996	√	√	√	√	√	31,6%	2003	-	Nat. Inst. of Stat.
<b>Iceland</b>		√		√										2002	√	Icel. Univ. Hosp.
<b>Italy</b>	√		√	√		√	n.a.	√	√	√		√		2002	√	Min. of Health
<b>The Netherlands</b>		√	√	√		√	1996	√	√	√	√	√	0%	2004	-	Prismant (Health Care and Advise Institute)
<b>Norway</b>		√	√	√		√	1996			√	√	√	9%	2002	√	N.Inst.Stat./HDR
<b>Poland</b>		√	√	√		√	1997	√	√	√		√	10%	2002	-	Min. of Health; N. Inst of Stat.
<b>Portugal</b>		√	√	√		√	2002	√	√	√	√	√	6,4%	2002	√	N. Inst. of Stat.
<b>Spain</b>		√	√									√		2003	-	Nat. Inst. of Stat.
<b>Sweden</b>		√		√	√	√	1997			√	√		14%	2002	√	NBHW
<b>UK</b>		√	√	√								√		2004	√	Dep. of Health

NBHW, National Board of Health and Welfare; NIPH, National Institute of Public Health;

Blank box means that information is not available

Data refer to year 2004

TABLE I: MORTALITY

DISEASE: ALL ISCHEMIC HEART DISEASES (ICD-9 410-414)

COUNTRY	ICD version		Aggr.. codes	Single Codes	Coding		1 <sup>st</sup> year of appl. of ICD X	Causes of death reported				Autopsy rate	Comp./last year available	Age-Std values	Access data
	9	10			autom	manual		immediate	interm	underl	others				
<b>Austria</b>		√	√			√	1996	√				32%	2002	√	Nat. Inst. of Stat.
<b>Belgium</b>		√	-	√		√	1998	√	√	√	√		2000	-	Ministry of Health
<b>Czech Republic</b>	√	√	√	√		√	1996	√	√	√	√	35%	2003	√	Inst of H. Inf. and Stat. of CR
<b>Denmark</b>		√	√	√	2002		1994	-	-	√	√	9%	2004	√	NIPH; Nat. Board of Health
<b>Finland</b>		√	√	√		√	1996	√	√	√	√	35%	2003	√	NIPH
<b>France</b>		√		√	√		2000	√	√	√	√		2001	√	Min of Health; Inst de Veille Sanitaire
<b>Germany</b>		√	√	√		√	1998			√		under 10%	2002	√	Nat..Inst..of Statistics
<b>Greece</b>	√		√	√		√		√	√	√	√	7%	2002	-	Nat. Inst. of Statistics
<b>Hungary</b>		√	√	√		√	1996	√	√	√	√	31,6%	2003	-	Nat.Inst.of Stat.;Centre for Healthc. Info
<b>Iceland</b>	√	√	√	√									2002	√	
<b>Italy</b>	√		√	√		√		√	√	√			1998	√	Ministry of Health
<b>The Netherlands</b>		√	√	√		√	1996	√	√	√	√	0%	2004	-	Prismant
<b>Norway</b>		√	√	√		√	1996			√	√	9%	2002	√	Nat. Inst. Stat./HDR
<b>Poland</b>		√	√	√		√	1997	√	√	√		10%	2002	-	Min. of Health; N. Inst. of Stat.; N. Inst. of Hygiene
<b>Portugal</b>		√	√	√		√	2002	√	√	√	√	6,4%	2002	√	Nat. Inst. of Statistics
<b>Spain</b>		√	411-414	410									2002	-	Nat. Inst. of Stat.; Reg. Dep. of Health
<b>Sweden</b>		√		√	√	√	1997			√	√	14%	2002	√	NBHW
<b>United Kingdom</b>		√	√	√									2004	√	Dep. of Health

NBHW, National Board of Health and Welfare; NIPH, National Institute of Public Health;

Blank box means that information is not available

Data refer to year 2004

TABLE I: MORTALITY

DISEASE: HEART FAILURE (ICD-9 428)

COUNTRY	ICD version		Coding		1 <sup>st</sup> year of application of ICD X	Causes of death reported				Autopsy rate	Age-stand. values	Access data
	9	10	autom	manual		immediate	interm.	underl.	others			
<b>Austria</b>												
<b>Belgium</b>		√		√	1998	√	√	√	√		-	Ministry of Health
<b>Czech Republic</b>	√	√		√	1996	√	√	√	√	35%	√	Inst of Health Inf. and Stat. of CR
<b>Denmark</b>		√	2002		1994	-	-	√	√	9%	-	NIPH; Nat. Board of Health
<b>Finland</b>		√		√	1996	√	√	√	√	35%	√	NIPH
<b>France</b>		√	√		2000	√	√	√	√		√	Min of Health; Inst de Veille Sanitaire
<b>Germany</b>		√		√	1998			√		under 10%	-	Nat. Inst. of Statistics
<b>Greece</b>	√			√	n.a.	√	√	√	√	7%	-	Nat. Inst. of Stat.
<b>Hungary</b>		√		√	1996	√	√	√	√	31,6%	-	Nat. Inst. of Stat.
<b>Iceland</b>												
<b>Italy</b>	√			√	n.a.	√	√	√			√	Min. Health/ Nat. Inst. of Stat.
<b>The Netherlands</b>		√		√	1996	√	√	√	√	0%	-	Prismant (Health Care and Advise Institute)
<b>Norway</b>		√		√	1996			√	√	9%	√	N. Inst. Stat./HDR
<b>Poland</b>		√		√	1997	√	√	√		10%	-	Min. of Health; N. Inst. of Stat.
<b>Portugal</b>		√		√	2002	√	√	√	√	6,4%	√	Nat. Inst. of Stat.
<b>Spain</b>												
<b>Sweden</b>		√	√	√	1997			√	√	14%	√	NBHW
<b>United Kingdom</b>		√									√	Dep. of Health

NBHW, National Board of Health and Welfare; NIPH, National Institute of Public Health;

Blank box means that information is not available

Data refer to year 2004

TABLE I: MORTALITY

DISEASE: OTHER FORMS OF HEART DISEASE (ICD-9 393-398, 401-405, 420-429)

COUNTRY	Diseases			ICD version		Coding		1 <sup>st</sup> year of applic. of ICD X	Causes of death reported				Autopsy rate	Comput./ last year avail.	Age-Std values	Access data
	Rheum. heart disease	Hypert. disease	Other forms of heart disease	9	10	autom	manual		immed	interm	underl.	others				
<b>Austria</b>	-	√	-		√		√	1996	√				11%	2002	-	
<b>Belgium</b>																
<b>Czech Rep</b>	√	√	√	√	√		√	1996	√	√	√	√	35%	2003	√	
<b>Denmark</b>	√	√	√		√									2001	-	NIPH; Nat. Board of Health
<b>Finland</b>	√	√	√		√		√	1996	√	√	√	√	35%	2003	√	Nat. Inst. of Statistics
<b>France</b>	√	√	√		√	√		2000	√	√	√	√		2001	√	Min of Health; Inst de Veille Sanitaire
<b>Germany</b>	√	√	√		√		√	1998			√		<10%	2003	√	Nat. Inst. of Stat.
<b>Greece</b>	√	√	√	√			√		√	√	√	√	7%	2002	-	Nat. Inst of Statistics
<b>Hungary</b>	√	√	√		√		√	1996	√	√	√	√	31,6%	2003	-	Nat. Inst of Statistics
<b>Iceland</b>																
<b>Italy</b>	√	√	√	√			√		√	√	√			-	√	Min. of Health
<b>Netherlands</b>																
<b>Norway</b>	√	√	√		√		√	1996			√	√	9%	2002	√	Nat. Inst. Stat./HDR
<b>Poland</b>							√	1997	√	√	√		10%			
<b>Portugal</b>	√	√	√		√		√	2002	√	√	√	√	6,4%	2002	√	Nat. Inst. of Stat.
<b>Spain</b>	√	√	√		√									2002	-	
<b>Sweden</b>	√	√	√		√	√	√	1997			√	√	14%	2002	-	NBHW
<b>UK</b>	√	√	√		√									2004	-	Dep. of Health

IGIF, Instituto de Gestao Informatica e Financeira; NBHW, National Board of Health and Welfare; NIPH, National Institute of Public Health;

Blank box means that information is not available

Data refer to year 2004